ELSEVIER

Neuroscience Letters 332 (2002) 223–225

Neuroscience Letters

www.elsevier.com/locate/neulet

Contents to Volume 332

Volume 332, no. 1

Guidelines for the submission of manuscripts v

Blockade of central neuropeptide Y (NPY) Y2 receptors reduces ethanol self-administration in rats
A. Thorsell, R. Rimondini, M. Heilig (Sweden) 1

Efferent projections from the striatal patch compartment: anterograde degeneration after selective ablation of neurons expressing μ-opioid receptor in rats
H. Tokuno, S. Chiken, K. Kametani, T. Moriizumi (Japan) 5

The sites of origin of projection fibers from the cerebral cortex to the jaw region of the striatum of the rat
T. Satoda, N. Amano, Y. Masuda, T. Uchida, Y. Yasui, N. Mizuno (Japan) 9

Inhibitory effects of tributyltin on dopamine biosynthesis in rat PC12 cells
Y.M. Kim, J.J. Lee, S.Y. Yin, Y. Kim, J.K. Lee, Y.P. Yoon, M.H. Kang, M.K. Lee (South Korea) 13

Effects of acupuncture on the 5-hydroxytryptamine synthesis and tryptophan hydroxylase expression in the dorsal raphe of exercised rats
S.-H. Lee, S.-H. Chung, J.-S. Lee, S.-S. Kim, H.-D. Shin, B.-V. Lim, M.-H. Jang, H. Kim, E.-H. Kim, C.-J. Kim (South Korea) 17

Altered gene expression of Na^+/Ca^{2+} exchanger isoforms NCX1, NCX2 and NCX3 in chronic ischemic rat brain
J. Lu, X.-Y. Tong, X.-L. Wang (China) 21

The N270 component of the event-related potential reflects supramodal conflict processing in humans
Y. Wang, H. Wang, L. Cui, S. Tian, Y. Zhang (People's Republic of China) 25

Do sensory calcitonin gene-related peptide nerve fibres in the rat pelvic plexus supply autonomic neurons projecting to the uterus and cervix?
E. Houdeau, E. Barranger, B. Rossano (France) 29

Effect of quercetine on survival and morphological properties of cultured embryonic rat spinal motoneurones
J.-P. Ternaux, P. Portalier (France) 33

Nogo-A expression in mature oligodendrocytes of rat spinal cord in association with specific molecules
M. Taketomi, N. Kinoshita, K. Kimura, M. Kitada, T. Noda, H. Asou, T. Nakamura, C. Ide (Japan) 37

The action of the A1 noradrenergic region on the activity of subfornical organ neurons in the rat
J. Tanaka, N. Mashiko, A. Kawakami, S. Hatakenaka, S. Fujisawa, M. Nomura (Japan) 41

Selective reduction of diffusion anisotropy in white matter of Alzheimer disease brains measured by 3.0 Tesla magnetic resonance imaging
S. Takahashi, H. Yonezawa, J. Takahashi, M. Kudo, T. Inoue, H. Tohgi (Japan) 45

Effect of muscle length on the recruitment property of single motor units in humans
Y. Nishimura, Y. Nakajima (Japan) 49

Change in superoxide dismutase1 protein localization towards mitochondria: an immunohistochemical study in transgenic G93A mice
H. Ilieva, I. Nagano, T. Murakami, M. Shiote, Y. Manabe, K. Abe (Japan) 53

Expression of the p75 neurotrophin receptor by striatal cholinergic neurons following global ischemia in rats is associated with neuronal degeneration
U. Greferath, C. Mallard, E. Roufail, S.M. Rees, G.L. Barrett, P.F. Bartlett (Australia, Sweden) 57

Personality traits and striatal 6-[^{18}F]fluoro-L-dopa uptake in healthy elderly subjects
V. Kaasinen, E. Nurmi, J. Bergman, O. Solin, T. Kurki, J.O. Rinne (Finland) 61

Enhancement of rat hippocampal long-term potentiation by 17β-estradiol involves mitogen-activated protein kinase-dependent and -independent components
J.S. Kim, H.Y. Kim, J.H. Kim, H.K. Shin, S.H. Lee, Y.S. Lee, H. Son (South Korea) 65

Prolonged exposure to microgravity modifies limb endpoint kinematics during the swing phase of human walking
G. Courtine, C. Papaxanthis, T. Pozzo (France) 70

Volume 332, no. 2

Mutation screen of the $GABA_A$ receptor gamma 2 subunit gene in Chinese patients with childhood absence epilepsy
J. Lu, Y. Chen, Y. Zhang, H. Pan, H. Wu, K. Xu, X. Liu, Y. Jiang, X. Bao, K. Ding, Y. Shen, X. Wu (PR China) 75

Denervation of the locus coeruleus projections by treatment with the selective neurotoxin DSP-4 [*N*(2-chloroethyl)-*N*-ethyl-2-bromobenzylamine] reduces dopamine release potential in the nucleus accumbens shell in conscious rats
R. Häidkind, T. Kivastik, M. Eller, I. Kolts, L. Oreland, J. Harro (Estonia, Sweden) 79

Methylene blue restores spatial memory retention impaired by an inhibitor of cytochrome oxidase in rats
N.L. Callaway, P.D. Riha, K.M. Wrubel, D. McCollum, F. Gonzalez-Lima (USA) 83

Modulation of the stress response by coffee: an in vivo microdialysis study of hippocampal serotonin and dopamine levels in rat
T. Yamato, S. Yamasaki, Y. Misumi, M. Kino, T. Obata, M. Aomine (Japan) 87

Calcium-induced Cytochrome *c* release from rat brain mitochondria is altered by digitonin
N. Brustovetsky, R. Jemmerson, J.M. Dubinsky (USA) 91

Footshock stress alters early postnatal development of electrophysiological responses and caspase-3 activity in rat hippocampus
I.E. Kudryashov, A.A. Yakovlev, I.V. Kudryashova, N.V. Gulyaeva (Russia) 95

Degeneration of corticospinal and bulbospinal systems in the superoxide dismutase $1^{G93A\ G1H}$ transgenic mouse model of familial amyotrophic lateral sclerosis
D.W. Zang, S.S. Cheema (Australia) 99

Acute exposure of toluene transiently potentiates p42/44 mitogen-activated protein kinase (MAPK) activity in cultured rat cortical astrocytes
H.J. Lin, K.M. Shaffer, Y.H. Chang, J.L. Barker, J.J. Pancrazio, D.A. Stenger, W. Ma (USA) 103

Enhanced adrenergic excitation of serotonergic dorsal raphe neurons in genetically obese rats
P. Ohliger-Frerking, J.M. Horowitz, B.A. Horwitz (USA) 107

Substance P induced biosynthesis of the zinc finger transcription factor Egr-1 in human glioma cells requires activation of the epidermal growth factor receptor and of extracellular signal-regulated protein kinase
A. Al-Sarraj, G. Thiel (Germany) 111

Multimodal functional imaging of prolonged neurological deficits in a patient suffering from familial hemiplegic migraine
A. Gutschalk, R. Kollmar, A. Mohr, M. Henze, N. Ille, M. Schwaninger, M. Hartmann, S. Hähnel, U. Haberkorn, A. Rupp, U. Meyding-Lamade (Germany) 115

Phenobarbital blocks the lung edema induced by centrally injected tityustoxin in adult Wistar rats
M.B.S. Mesquita, T. Moraes-Santos, M.F.D. Moraes (Brazil) 119

Effects of isolation-rearing on serotonin-1A and M1-muscarinic receptor messenger RNA expression in the hipocampal formation of rats
E.A. Del-Bel, S.R.L. Joca, C.M. Padovan, F.S. Guimarães (Brazil) 123

Anandamide and noladin ether prevent neurotoxicity of the human amyloid-β peptide
N.G.N. Milton (UK) 127

Differences in hippocampal mitotic activity within the dorsal and ventral hippocampus following flurothyl seizures in mice
R.J. Ferland, R.A. Gross, C.D. Applegate (USA) 131

K^+-induced changes in the properties of the hyperpolarization-activated cation current I_h in rat CA1 pyramidal cells
R. Surges, T.M. Freiman, T.J. Feuerstein (Germany) 136

Involvement of actin cytoskeleton in modulation of Ca^{2+}-activated K^+ channels from rat hippocampal CA1 pyramidal neurons
H. Huang, Y. Rao, P. Sun, L.-W. Gong (PR China, USA) 141

Dual effects of spinally delivered 8-bromo-cyclic guanosine mono-phosphate (8-bromo-cGMP) in formalin-induced nociception in rats
I. Tegeder, A. Schmidtko, E. Niederberger, P. Ruth, G. Geisslinger (Germany) 146

Volume 332, no. 3

Increases in the release and metabolism of serotonin in nucleus parafascicularis thalami following systemically administered morphine in the rat
E.M. Munn, G.S. Borszcz (USA) 151

Presynaptic hyperexcitability at cerebellar synapses in traumatic injury rat
J. Ai, A. Baker (Canada) 155

Effects of the selective μ_1-opioid receptor antagonist, naloxonazine, on cocaine-induced conditioned place preference and locomotor behavior in rats
D.J. Rademacher, R.E. Steinpreis (USA) 159

Decreased large conductance Ca^{2+}-activated K^+ channel activity in dissociated CA1 hippocampal neurons in rats exposed to perinatal and postnatal hypoxia
T.-M. Gao, M.-L. Fung (China) 163

Hypoxic condition interferes with phosphorylation of Akt at Thr^{308} in cultured rat pheochromocytoma-12 cells
D. Obara, K. Utsugisawa, Y. Nagane, H. Tohgi (Japan) 167

Central orexin facilitates gastric relaxation and contractility in rats
M. Kobashi, Y. Furudono, R. Matsuo, T. Yamamoto (Japan) 171
Effects of lignocaine blockades and kainic acid lesions in the Bötzinger complex on spontaneous expiratory activity and cough reflex responses in the rabbit
D. Mutolo, F. Bongianni, T. Pantaleo (Italy) 175
Learning-induced multiple synapse formation in rat cerebellar cortex
K.D. Federmeier, J.A. Kleim, W.T. Greenough (USA, Canada) 180
Local delivery of granulocyte macrophage colony-stimulating factor by retrovirally transduced antigen-specific T cells leads to severe, chronic experimental autoimmune encephalomyelitis in mice
S. Marusic, J.S. Miyashiro, J. Douhan III, R.F. Konz, D. Xuan, J.W. Pelker, V. Ling, J.P. Leonard, K.A. Jacobs (USA) 185
Age-related decline in hypocretin (orexin) receptor 2 messenger RNA levels in the mouse brain
A. Terao, A. Apte-Deshpande, S. Morairty, Y.R. Freund, T.S. Kilduff (USA) 190
Synaptic activation of hypoglossal respiratory motorneurons during inspiration in rats
J. Wang, M. Irnaten, P. Venkatesan, C. Evans, S. Baxi, D. Mendelowitz (USA) 195
Sensory, motor, and combined contexts for context-specific adaptation of saccade gain in humans
M. Shelhamer, R. Clendaniel (USA) 200
Practice-dependent modulation of neural activity during human sensorimotor coordination: a functional Magnetic Resonance Imaging study
K.J. Jantzen, F.L. Steinberg, J.A.S. Kelso (USA) 205
A phase 1 study of the cholecystokinin (CCK) B antagonist L-365,260 in human subjects taking morphine for intractable non-cancer pain
G.J. McCleane (UK) 210
Polymorphism at codon 174 of the prion-like protein gene is not associated with sporadic Alzheimer's disease
J. Infante, J. Llorca, L. Rodero, E. Palacio, J. Berciano, O. Combarros (Spain) 213
Low-density lipoprotein receptor-related protein 8 (apolipoprotein E receptor 2) gene polymorphisms in Alzheimer's disease
S.L. Ma, H.K. Ng, L. Baum, J.C.S. Pang, H.F.K. Chiu, J. Woo, N.L.S. Tang, L.C.W. Lam (China) 216

Author Index to Volume 332 219
Contents to Volume 332 223